

L Number	Hits	Search Text	DB	Time stamp
2	65	(controller same area same network same bit same tim\$5 same (storage or memory or buffer)) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 13:39
3	69	(controller same area same network same bit same tim\$5 same (stor\$4 or memory or buffer)) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 13:40
1	24	(controller same area same network same bit same tim\$5 same logic) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 13:39
4	0	(controller same area same network same (bit with tim\$5 with logic)) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 13:40
5	24	(controller same area same network same (bit with tim\$5) same (stor\$4 or memory or buffer)) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 13:41
6	5	((controller with area with network) same (bit with tim\$5) same (stor\$4 or memory or buffer)) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 13:42
-	80	((can with module) same microcontroller).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:51
-	43	((can with module) same microcontroller).ab. and @ad<19990708	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 15:06
-	0	((can with module) same microcontroller).ab. and @ad<19990708 and protocol and multiplexer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 16:46
-	0	((can with module) same microcontroller).ab. and @ad<19990708 and protocol and multiplex\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 15:07
-	72	((can with module) same microcontroller) and @ad<19990708 and protocol and multiplexer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:51
-	22	((can with module) same microcontroller) and @ad<19990708 and protocol and (multiplexer same (storage or memory or buffer) same control\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 15:43
-	17	((can with module) same microcontroller) and @ad<19990708 and protocol and (multiplexer same (storage or memory or buffer) same control\$5) and node	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 15:52

-	0	((can adj module) same microcontroller) and @ad<19990708 and protocol and (multiplexer same (storage or memory or buffer) same control\$5) and node	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 15:51
-	0	((can or (control\$5 near area near network)) adj module) same microcontroller) and @ad<19990708 and protocol and (multiplexer same (storage or memory or buffer) same control\$5) and node	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 15:53
-	9	((can or (control\$5 near area near network)) near3 module) same microcontroller) and @ad<19990708 and protocol and (multiplexer same (storage or memory or buffer) same control\$5) and node	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 15:54
-	0	((can or (control\$5 near area near network)) adj module) same microcontroller) and @ad<19990708 and protocol and (multiplexer and (storage or memory or buffer) and control\$5) and node	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 15:55
-	1	((can or (control\$5 near area near network)) adj module) same microcontroller) and @ad<19990708 and protocol and (multiplex\$4 and (storage or memory or buffer) and control\$5) and node	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 16:22
-	4	((controller with area with network with module) same node same (storage or memory or buffer)) and @ad<19990708	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 18:12
-	0	((can or (control\$5 near area near network)) adj module) same microcontroller) and @ad<19980708 and protocol and (multiplex\$4 and (storage or memory or buffer) and control\$5) and node	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 16:23
-	1	((can or (control\$5 near area near network)) adj module) same microcontroller) and @ad<19990708 and (multiplex\$4 and (storage or memory or buffer) and control\$5) and node	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 18:17
-	3	((controller with area with network with module) same node same (storage or memory or buffer)) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 16:27
-	2	twomey.in. and module	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 17:06
-	0	((controller near area near network) and multiplex\$5 and module).ab. and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 17:07
-	1	((controller near area near network) same multiplex\$5 same module) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 17:08
-	3	((controller near area near network) same (storage or buffer) same module) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 17:09

-	8	((controller near area near network) same (storage or buffer or memory) same module) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 17:32
-	0	((controller near area near network) same multiplex\$4 same (storage or buffer or memory) same (data or state)) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 18:01
-	4	((controller near area near network) same (storage or buffer or memory) same (data or state)).ab. and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:48
-	11	((controller near area near network) same (storage or buffer or memory) same (data or state)) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 18:06
-	10	((controller near area near network) and (storage or buffer or memory) and (data or state)).clm. and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 18:11
-	8	((controller near area near network) and (storage or buffer or memory) and (data or state)).ab. and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 18:11
-	0	((can or (control\$5 near area near network)) adj module) same microcontroller) and @ad<19980709 and (multiplex\$4 and (storage or memory or buffer) and control\$5) and node	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 18:18
-	1168	(controller with area with network) same ((storage or buffer or register or memory) with (state or data or information))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:51
-	496	((controller with area with network) same ((storage or buffer or register or memory) with (state or data or information))) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:51
-	9	((controller near area near network) same ((storage or buffer or register or memory) with (state or data or information))) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:52
-	22	((controller near area near network) same microcontroller) and ((storage or buffer or register or memory) with (state or data or information)) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:52
-	149	((controller near area near network)) and ((storage or buffer or register or memory) with (state or data or information)) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:52
-	57	((controller near area near network)) and ((storage or buffer or register or memory) with (state)) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:52
-	0	((controller near area near network)) with ((storage or buffer or register or memory) with (state)) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 12:57

-	0	((controller near area near network)) same ((storage or buffer or register or memory) with (state)) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 12:57
-	0	((controller near area near network) same ((storage or buffer or register or memory) with (state))) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 12:57
-	0	((controller near area near network) same ((storage or buffer or register or memory) with (state))) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 12:58
-	1	((((controller near area near network)) and ((storage or buffer or register or memory) with (state))).ab. and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 16:34
-	2	5574848.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:48
-	2	5612958.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:49
-	0	((((controller near area near network)) and ((storage or buffer or register or memory) with (state))).ab. and @ad<19980709 and buffer\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 16:35
-	0	((((controller near area near network)) and ((buffer\$3) with (state))).ab. and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 16:35
-	0	((((controller near area near network)) same ((buffer\$3) with (state))) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 16:36
-	0	((controller near area near network) same (buffer\$3 with state)) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 16:36
-	0	((controller near area near network) same (buffer\$3 with request\$3)) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 16:36
-	0	((controller near area near network) same (buffer\$3 same request\$3)) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 16:37
-	6	((controller near area near network) same (buffer\$3)) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 16:40
-	0	((controller near area near network) same (preset\$4)) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 16:40

-	1	((controller near area near network) same (advanc\$3)) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 16:40
-	6	((controller near area near network) same (predetermin\$5)) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 16:43
-	2	((controller near area near network) same (respond\$5)) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 16:43
-	10	((controller near area near network) same (respons\$5)) and @ad<19980709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 16:44
-	1	5600782.pn. and buffer\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:11
-	1	5600782.pn. and microcontroller	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:12
-	29	(controller with area with network) same ((storage or buffer or register or memory) with (state or data or information)) and (709/250.ccls. or 340/825.ccls. or 370/463.ccls. or 375/219.ccls. or 703/23.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:51
-	0	((can with module) same microcontroller).ab. and (709/250.ccls. or 340/825.ccls. or 370/463.ccls. or 375/219.ccls. or 703/23.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:51
-	0	((can with module) same microcontroller) and @ad<19990708 and protocol and multiplexer and (709/250.ccls. or 340/825.ccls. or 370/463.ccls. or 375/219.ccls. or 703/23.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:51
-	18	((controller with area with network) same ((storage or buffer or register or memory) with (state or data or information))) and @ad<19980709 and (709/250.ccls. or 340/825.ccls. or 370/463.ccls. or 375/219.ccls. or 703/23.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:52
-	3	((controller near area near network)) and ((storage or buffer or register or memory) with (state or data or information)) and @ad<19980709 and (709/250.ccls. or 340/825.ccls. or 370/463.ccls. or 375/219.ccls. or 703/23.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:52
-	0	((controller near area near network)) and ((storage or buffer or register or memory) with (state)) and @ad<19980709 and (709/250.ccls. or 340/825.ccls. or 370/463.ccls. or 375/219.ccls. or 703/23.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:52

	1	((controller near area near network) same microcontroller) and ((storage or buffer or register or memory) with (state or data or information)) and @ad<19980709 and (709/250.ccls. or 340/825.ccls. or 370/463.ccls. or 375/219.ccls. or 703/23.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:52
	1	((controller near area near network) same ((storage or buffer or register or memory) with (state or data or information))) and @ad<19980709 and (709/250.ccls. or 340/825.ccls. or 370/463.ccls. or 375/219.ccls. or 703/23.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:52